

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	44	(waveguide with device) and (light with transmitting with body)	USPAT; US-PGPUB
2	BRS	L2	6	1 and (longitudinal with axis)	USPAT; US-PGPUB

	Time Stamp	Comments	Error Definition	Errors
1	2004/05/03 08:50			0
2	2004/05/03 08:50			0

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	2	(light with transmitting with body) near5 (dielectric with material)	USPAT; US-PGPUB; EPO
2	BRS	L2	7	(light with transmitting with body) same (dielectric with material)	USPAT; US-PGPUB; EPO
3	BRS	L3	7	(light with transmitting with body) same (homogeneous with material)	USPAT; US-PGPUB; EPO
4	BRS	L4	101	(light with transmitting with body) same (glass with material)	USPAT; US-PGPUB; EPO
5	BRS	L5	7	light with transmitting with body) near5(glass with material	USPAT; US-PGPUB; EPO
6	BRS	L6	15	light with transmitting with body) near5(plastic with material	USPAT; US-PGPUB; EPO
7	BRS	L7	0	(light with transmitting with body) near5(plastic with material)near3 (acrylic)	USPAT; US-PGPUB; EPO
8	BRS	L8	2	(light with transmitting with body) near5(plastic with material)same (acrylic)	USPAT; US-PGPUB; EPO

	Time Stamp	Comments	Error Definition	Errors
1	2004/05/03 09:15			0
2	2004/05/03 09:17			0
3	2004/05/03 09:19			0
4	2004/05/03 09:19			0
5	2004/05/03 09:21			0
6	2004/05/03 09:22			0
7	2004/05/03 09:22			0
8	2004/05/03 09:23			0